

Claim 5

Cancel claim 5

Claim 6

Cancel claim 6

Claim 11

Line 1, after "claims" delete "4, or 5, or 6".

Line 1, after "or 10," insert - or 31, or 32, -.

Claim 26

Cancel claim 26

Claim 27

Line 1, after "in" delete "claim 1, or 3," and insert -claims-.

Line 2, before "9" delete "or".

Claim 28

Cancel claim 28

Claims 31-38

Add new claims 31-38 below.

Claim 1 (canceled)

Claim 2 (canceled)

Claim 3 (canceled)

Claim 4 (canceled)

Claim 5 (canceled)

Claim 6 (canceled)

Claim 7 (canceled)

Claim 8 (canceled)

Claim 9 (original) :

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one battery, at least one electricity generating fuel cell system for charging said battery and/or powering said motor, and a hydrogen storage system attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvements wherein said hydrogen storage system contains a mixture of carbon graphite, mesocarbon microbeads and metal hydride as a storage medium and absorbent/desorbent.

Claim 10 (original) :

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one electricity generating fuel cell system for powering said motor, and a hydrogen storage system attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein .  
said hydrogen storage system contains a mixture of carbon graphite, mesocarbon microbeads and metal hydride as a storage medium and absorbent/desorbent.

Claim 11 (currently amended) :

Electric vehicle construction as described in claims ~~4, or 5, or 6 or~~ 9, or 10, or 31, or 32, which additionally includes at least one hydrogen generating electrolyzer having hydrogen therein, attached to said body, and said electrolyzer is also electrically connectable to an electric power source outside of the vehicle, and the hydrogen is stored in said hydrogen storage system at low pressure.

Claim 12 (withdrawn):

Electric vehicle construction which includes a body for carrying at least two passengers, and an electric propulsion system with battery packs attached to said body, and which body is riding on at least three wheels with a steering system attached to said body, and said body has substantially symmetrical shape, has imaginary longitudinal center line and line of symmetry, and said body includes upper and lower sides, front top of sides, front, rear, top and bottom, the improvement wherein said passengers are seated in a tandem configuration, substantially on said imaginary longitudinal center line and line of symmetry of said body, and said battery packs are removable and are located in compartments on each said lower side of said body, external to said passengers and lengthwise between said wheels.

Claim 13 (withdrawn):

Electric vehicle construction as described in claim 12, which has two rear wheels close to said longitudinal center line and line of symmetry, said wheels have their traction width narrower than the space between said battery packs and said battery packs are removable from the rear of said vehicle.

Claim 14 (withdrawn):

Electric vehicle construction as described in claim 12, wherein the vehicle includes at least one additional battery pack carried in said vehicle body front and in front of said passengers.

Claim 15 (withdrawn):

Electric vehicle construction as described in claim 12 or 14, wherein at least one of said batteries is replaced with at least one electricity generating fuel cell system.

**Claim 16 (withdrawn):**

Electric vehicle construction as described in claim 12, which is provided with at least one additional non-electric propulsion system attached to said body, in which said additional propulsion system includes at least one open to air combustion engine with at least one generator for charging said batteries and/or powering said electric motor.

**Claim 17 (withdrawn):**

Electric vehicle construction as described in claim 12, which is provided with at least one additional non-electric propulsion system attached to said body, in which said additional propulsion system includes at least one open to air combustion engine which is driving at least one of said wheels through a clutch and a reduction drive.

**Claim 18 (withdrawn):**

Electric vehicle construction as described in claim 12, which is provided with at least one additional non-electric propulsion system attached to said body, in which said additional propulsion system includes at least one open to air combustion engine with at least one generator for charging said batteries and/or powering said electric motor, and said engine is driving at least one of said wheels through a clutch and a reduction drive.

**Claim 19 (withdrawn):**

Electric vehicle construction as described in claims 16 or 18, in which said electric current generator is replaced with at least one electricity generating fuel cell system.

Claim 20 (withdrawn):

Electric vehicle construction as described in claim 12, in which said batteries are lithium rechargeable batteries.

Claim 21 (withdrawn):

Electric vehicle construction as described in claim 12, in which said batteries are hydrogen rechargeable batteries.

Claim 22 (withdrawn):

Electric vehicle construction which includes a body, said body includes a body frame with body panels attached to said frame, said frame is substantially of magnesium alloy and is formed of plurality of extrusions bonded together with aid of end fittings and an adhesive.

Claim 23 (withdrawn):

Electric vehicle construction as described in claim 22, in which said body panels are substantially of composite sandwich construction having ultrahigh molecular weight polyethylene fibers embedded in resin skins.

Claim 24 (withdrawn):

Electric vehicle construction as described in claim 12, in which said electric propulsion system includes at least one electric motor and said motor includes a disc armature.

Claim 25 (withdrawn):

Electric vehicle construction which includes side windows, front and front top of the sides of the vehicle, wherein passengers sit in tandem configuration, said vehicle is riding on at least three wheels and is provided with rear view mirrors which are recessed in said front top of the sides of said vehicle, and said mirrors are streamlined with said front of the vehicle and are outside of said side windows.

Claim 26 ( canceled )

Claim 27 (currently amended)

Electric vehicle construction as described in claims ~~1, or 3,~~  
~~or~~ 9, or 10, wherein said hydrogen storage system includes  
at least one hydrogen generating reactor, which reactor produces  
hydrogen by reaction of a metal catalyst in contact with a solution  
of sodium borohydride in water.

Claim 28 (canceled )

Claim 29 (previously presented) :

Electric vehicle construction which includes a body for carrying at least one passenger  
and an electric propulsion system with at least one electric motor, at least one battery, at  
least one electricity generating fuel cell system for charging said battery and/or powering  
said motor, and a hydrogen generating reactor system attached to said body, and which  
body rides on at least two wheels with a steering system attached to said body, the  
improvement wherein said reactor produces hydrogen by reaction of a metal catalyst in  
contact with a solution of sodium borohydride in water.



Claim 30 (previously presented) :

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one electricity generating fuel-cell system for powering said motor, and a hydrogen generating reactor system attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said reactor produces hydrogen by reaction of a metal catalyst in contact with a solution of sodium borohydride in water.

Claim 31 ( new ) :

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery and/or powering said electric motor, and which is driven by at least one internal combustion engine, and a hydrogen storage system having hydrogen therein, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said engine is open to air combustion engine and is fueled only by said hydrogen, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and wherein said hydrogen storage system contains a mixture of carbon graphite, mesocarbon microbeads and metal hydride as a storage medium and absorbent/desorbent.

Claim 32 ( new ):

Electric vehicle construction which includes a body for carrying at least one passenger and electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery and/or powering said electric motor, and which is driven by at least one internal combustion engine, a hydrogen storage system having hydrogen therein, and having a hydrogen generating cell which generates hydrogen by electrolysis of water, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said engine is an open to air combustion engine and is fueled only by the hydrogen, the hydrogen being supplied from said storage system and from said hydrogen generating cell, said cell is electrically connected to said generator, and said cell is also electrically connected to said battery, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and

wherein said hydrogen storage system contains a mixture of carbon graphite, mesocarbon microbeads and metal hydride as a storage medium and absorbent/desorbent.

Claim 33 ( new ):

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery and/or powering said electric motor, and which is driven by at least one internal

combustion engine, and a hydrogen storage system having hydrogen therein, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said engine is open to air combustion engine and is fueled only by said hydrogen, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and

in which said internal combustion engine includes at least one intake port and at least one exhaust port and at least one cooled partial return of exhaust gases including water from said exhaust port into said intake port through connecting means.

Claim 34 ( new ) :

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery, and / or powering said electric motor, and which is driven by at least one internal combustion engine, and a hydrogen generating cell having hydrogen therein, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said engine is an open to air combustion engine and is fueled only by hydrogen which is produced by electrolysis of water in said hydrogen generating cell, said cell is electrically connected to said generator and also to said battery, the hydrogen is not stored under pressure and is immediately consumed by said engine, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and

in which said internal combustion engine includes at least one intake port and at least one exhaust port and at least one cooled partial return of exhaust gases including water from said exhaust port into said intake port through connecting means.

Claim 35 ( new ) :

Electric vehicle construction which includes a body for carrying at least one passenger and electric propulsion system with at least one electric motor , at least one battery , at least one electric current generator for charging said battery and/or powering said electric motor , and which is driven by at least one internal combustion engine, a hydrogen storage system having hydrogen therein, and having a hydrogen generating cell which generates hydrogen by electrolysis of water, attached to said body , and which body rides on at least two wheels with a steering system attached to said body , the improvement wherein said engine is an open to air combustion engine and is fueled only by the hydrogen , the hydrogen being supplied from said storage system and from said hydrogen generating cell , said cell is electrically connected to said generator , and said cell is also electrically connected to said battery , and which results in non-polluting , longer range vehicle than internal combustion-only hydrogen fueled vehicle , and

in which said internal combustion engine includes at least one intake port and at least one exhaust port and at least one cooled partial return of exhaust gases including water from said exhaust port into said intake port through connecting means.

Claim 36 ( new ) :

Electric vehicle construction which includes a body for carrying at least one passenger and an electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery and/or powering said electric motor, and which is driven by at least one internal combustion engine, and a hydrogen storage system having hydrogen therein, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said engine is open to air combustion engine and is fueled only by said hydrogen, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and

wherein said hydrogen storage system includes at least one hydrogen generating reactor, which reactor produces hydrogen by reaction of a metal catalyst in contact with a solution of sodium borohydride in water.

Claim 37 ( new ) :

Electric vehicle construction which includes a body for carrying at least one passenger and electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery and/or powering said electric motor, and which is driven by at least one internal

combustion engine, a hydrogen storage system having hydrogen therein, and having a hydrogen generating cell which generates hydrogen by electrolysis of water, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein said engine is an open to air combustion engine and is fueled only by the hydrogen, the hydrogen being supplied from said storage system and from said hydrogen generating cell, said cell is electrically connected to said generator, and said cell is also electrically connected to said battery, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and wherein said hydrogen storage system includes at least one hydrogen generating reactor, which reactor produces hydrogen by reaction of a metal catalyst in contact with a solution of sodium borohydride in water.

Claim 38 ( new ) :

Electric vehicle construction which includes a body for carrying at least one passenger and electric propulsion system with at least one electric motor, at least one battery, at least one electric current generator for charging said battery and/or powering said electric motor, and which is driven by at least one internal combustion engine, a hydrogen storage system having hydrogen therein, and having a hydrogen generating cell which generates hydrogen by electrolysis of water, attached to said body, and which body rides on at least two wheels with a steering system attached to said body, the improvement wherein

said engine is an open to air combustion engine and is fueled only by the hydrogen, the hydrogen being supplied from said storage system and from said hydrogen generating cell, said cell is electrically connected to said generator, and said cell is also electrically connected to said battery, and which results in non-polluting, longer range vehicle than internal combustion-only hydrogen fueled vehicle, and in which said hydrogen

generating cell having hydrogen therein is also electrically connectable to an electric power source outside of the vehicle, and the hydrogen is stored in said hydrogen storage system at low pressure.